



[www.ikh.fi](http://www.ikh.fi)

# HAMMERS, AXES, SAWS, PLANES, CHISELS



5





www.ikh.fi

## 5. HAMMERS, AXES, SAWS, PLANES, CHISELS

Aluminium pry bars .....	6
Axes .....	5
Chisels .....	12
Crow bars .....	6
Hammers .....	2-4
Hand planes .....	11
Nail puller .....	2
Pry bars .....	6
Saws .....	7-10
Sledge hammers .....	3
Wrecking bars .....	5





**Hultafors**

**ERGONOMIC CARPENTER'S HAMMERS XL**

- ergonomic design
- furrowed, right size handle - sturdy grip, increased hitting power
- you can work longer without getting tired - less strain on your body
- packing size: /2

Order no.	Weight without shaft	Total weight	EAN
HU022	450 g	675 g	7391408200066
HU023	570 g	800 g	7391408200080



**Hultafors**

**ELECTRICIAN'S HAMMER**

**HU063**

- U-shaped striking surface for improved access close to ceiling, floor and corners
- for improved access when removing nails or staples for cable in limited space
- ergonomic handle - with good grip along the whole handle, both for power and precision
- weight without shaft 550 g
- for professional use for electricians, computer technicians, furniture-makers, cabinet-makers, glaziers etc.
- packing size: 1/2
- EAN 7391408200400

**Hultafors**

**BRICKLAYER'S HAMMER**

**HU034**

- weight without shaft 600 g
- total weight 800 g
- hickory handle
- packing size: /2
- EAN 7391408222518



**Hultafors**

**TINSMITH'S HAMMER**

**HU033**

- weight without shaft 300 g
- total weight 570 g
- ergonomic handle
- the rubber cover on the handle allows the best possible grip
- packing size: /2
- EAN 7391408222150

**HAMMER Hobby**

**HU056**

- weight without shaft 454 g
- for "do-it-yourself" -purpose
- packing size: /2
- EAN 7391408660020



**Hultafors**

**HAMMERS**

- strong, high-quality fiberglass shaft
- formed rubber handle
- metal part forged and hardened carbon steel



**EVEREST®**

Order no.	Weight	Packing size	EAN
TK1406AE	250 g	/6/72	6418914620780
TK1406E	500 g	/6/36	6418914620575

**HAMMER**

**XK6035**

- formed rubber handle
- metal part forged and hardened carbon steel
- thin shaft
- weight 450 g
- packing size: 1
- EAN 6418914545915



**EVEREST®**

**NAIL PULLER**

**HU024**

- weight 600 g
- a 125 mm nail is easily pulled out even if the nails head is off or hidden
- packing size: 1/5
- EAN 7391408200301



**Hultafors**

**EVEREST®**

**BRICKLAYER'S HAMMER**

**TK1411**

- weight 600 g
- strong, high-quality fiberglass shaft
- packing size: 1/24
- EAN 6418914538306



**PEEN HAMMERS**

- ash shaft
- packing size: /2

**Hultafors**

Order no.	Weight without shaft	Total weight	EAN
HU025	150 g	200 g	7391408210034
HU026	300 g	400 g	7391408210058
HU027	600 g	700 g	7391408210072



**BALL PANE HAMMERS**

- ash shaft
- packing size: /2

Order no.	Weight without shaft	Total weight	EAN
HU028	150 g	200 g	7391408210515
HU029	300 g	400 g	7391408210539
HU030	500 g	600 g	7391408210553

**Hultafors**



**BALL PANE HAMMERS**

- strong, high-quality

**EVEREST®**

Order no.	Weight	Packing size	EAN
TK1409	200 g	1/72	6418914538283
TK1410	450 g	1/36	6418914538290



**COPPER HAMMERS**

- fiberglass shaft
- nonsparking, does not damage the workpiece as much as steel hammer

**Hultafors**

Order no.	Overall weight	Shaft	Pack. size	EAN
HU069	400 g	260 mm	/2	7391408230315
HU070	1300 g	340 mm	/2	7391408230322
HU071	2300 g	340 mm	/2	7391408230346
HU072	4000 g	900 mm	1	7391408230353
HU073	5000 g	900 mm	1	7391408230360
HU074	5500 g	900 mm	1	7391408230377

**Hultafors**

**SMITH'S HAMMER**

**HU031**

- weight without shaft 1500 g
- total weight 1700 g
- hickory handle
- packing size: /2
- EAN 7391408221566



**EVEREST®**

**SMITH'S HAMMER**

**TK1407E**

- weight 1,5 kg
- metal part strong, forged, hardened carbon steel
- high quality fiberglass shaft
- packing size: /12
- EAN 6418914620582



**SMITH'S HAMMERS**

- strong, high-quality fiberglass shaft

**EVEREST®**

Order no.	Weight	Packing size	EAN
TK1412	200 g	1/60	6418914538313
TK1413	300 g	1/48	6418914538320
TK1414	500 g	1/36	6418914538337
TK1415	1000 g	1/12	6418914538344
TK1416	1500 g	1/12	6418914538351



**MACHINIST'S HAMMERS**

- wooden shaft
- packing size: 1/2

**Hultafors**

Order no.	Weight without shaft	Total weight	EAN
HU057	200 g	300 g	7391408220507
HU058	300 g	400 g	7391408220514
HU059	400 g	500 g	7391408220521
HU060	1000 g	1150 g	7391408431002
HU061	1600 g	1650 g	7391408431019
HU062	2000 g	2150 g	7391408431026



**LUMP HAMMER**

**HU032**

- weight without shaft 1200 g
- total weight 1350 g
- hickory handle
- packing size: /2
- EAN 7391408221023

**Hultafors**



**SLEDGE HAMMER**

**HU035**

- weight 4 kg
- glassfibre shaft 900 mm
- packing size: 1
- EAN 7391408250412



**SLEDGE HAMMERS**

- length 910 mm
- sledge part hardened, forged carbon steel
- strong fiberglass shaft with rubber handle

**TK1405E**

- weight 3 kg
- packing size: /6
- EAN 64189141620551

**EVEREST®**

**TK1405AE**

- weight 5,4 kg
- packing size: /4
- EAN 6418914620568



**PLASTIC/RUBBER HAMMER**

**XHS2610**

- face Ø 35 mm, rubber and plastic
- hollow shaft, rubber handle
- weight 470 g shaft included
- packing size: /12/48
- EAN 6418914618534



**PLASTIC HAMMER**

**XHS2611**

- face Ø 45 mm, plastic
- hollow shaft, rubber handle
- weight 850 g shaft included
- packing size: /6/36
- EAN 6418914618541



**RUBBER HAMMER**

**TK1085**


- hollow shaft
- weight 500 g
- packing size: /12/48
- EAN 6418914123991



**RUBBER HAMMER**

**TK1086**

- wooden shaft, length 260 mm
- diameter of rubber part 80 mm, height 130 mm
- weight 1340 g
- packing size: 1/4/16
- EAN 6418914187016



**NON-RECOILING HAMMER**

**TK1408E**

- weight 1,2 kg
- especially for listing, installation and maintenance, strip mounted setting, assembling window frames and aluminium doors, furniture industry, industry branches where sparking has to be prevented etc.
- packing size: /18
- EAN 6418914620599



**NON-REBOUND HAMMERS**

Order no.	Head Ø	Weight	EAN
IKH7540	30 mm	500 g	6418914548053
IKH7541	40 mm	900 g	6418914548060
IKH7542	50 mm	1180 g	6418914548077
IKH7543	60 mm	1800 g	6418914548084



**RUBBER HAMMERS**



- wooden shaft
- packing size: 1/25

Order no.	Head Ø	EAN
MR073	74 mm	4007535424833
MR074	90 mm	4007535469070



**NON-REBOUND HAMMERS**

- gentle for the object to be hit
- replaceable nylon heads
- steel handle

Order no.	Head Ø	Overall weight	Packing size	EAN
HU075	30 mm	570 g	/2	7391408233125
HU076	40 mm	830 g	/2	7391408233149
HU077	50 mm	1150 g	/2	7391408233156
HU078	60 mm	1790 g	/1	7391408233163



**AXE**

**HU090**

- length of shaft 650 mm
  - weight 900 g
  - packing size: 1
- EAN 7391408400619



**AXES**

**EVEREST®**

- polished tip
- sharp stroke surface
- blade part durable forged, hardened carbon steel
- high-quality, strong fiberglass shaft with formed
- rubber handle

Order no.	Length	Weight	Packing size	EAN
TK1401E	350 mm	500 g	/24	6418914620544
TK1402E	610 mm	1000 g	/12	6418914630819
TK1403E	810 mm	1500 g	/6	6418914626386



**EVEREST®**

**AXE / SLEDGE HAMMER**

**TK1404E**

- weight 3 kg
- axe / hammer part hardened, forged carbon steel
- strong fiberglass shaft
- packing size: /6/180

- multi-purpose tool
- protection cover on shaft
- length 910 mm

**WEDGE**

**HU064**

- weight 1200 g
  - packing size: 1/2
- EAN 7391408406208



**WRECKING BAR 380 mm**

**HU053**

- hardened steel
  - weight 580 g
  - can be used for cranking, as scraper and for pulling out nails
  - three different functions for pulling out nails
  - packing size: /2
- EAN 7391408270113



**WRECKING BARS**



- high alloy steel
- wide working surfaces and thin ends
- optimized claw for nail pulling



**WRECKING BAR 600 mm**

**TT1211**

- packing size: /20
- EAN 6418914129276

Order no.	Length	Weight	Packing size	EAN
HU036	300 mm	450 g	/2	7391408240093
HU037	625 mm	1450 g	/2	7391408240116
HU038	900 mm	2850 g	/2	7391408240130



**TELESCOPIC WRECKING BAR 600 - 860 mm**

**IKH7380**

- save space by shortening the wrecking bar for transport and storage
  - extend or shorten the steel pipe according to need, min. length 600 mm, max. length 860 mm
  - slightly bent end is especially suitable for removing deep nails and nails in tight places
  - claw width 38 mm
  - weight 2000 g
  - packing size: 1/8
- EAN 6418914547292



**ADJUSTABLE WRECKING BAR 660 mm**

**HU050**

- joint for adjusting - claw is adjustable with 9 different settings
  - high alloy steel
  - both ends are grinded thin
  - the shaping of claw ensures optimal grip
  - length 660 mm
  - weight 1700 g
  - packing size: /2
- EAN 7391408240154

**IRON PULLER BAR FOR PARQUET/LAMINATE**

**IKH7322**

- length 360 mm
- width 100 mm
- packing size: /15/30
- EAN 6418914541580



Pusher jack 1000 kg for adjustment of parquet floor in part 11



**Hultafors**

**ALUMINIUM PRY BARS**

- packing size: /2

**HU039**

- length 480 mm
- weight 500 g
- EAN 7391408410205

**HU040**

- length 680 mm
- weight 700 g
- EAN 7391408410212

**HU041**

- length 680 mm
- weight 700 g
- EAN 7391408410229

**HU042**

- length 430 mm
- weight 400 g
- EAN 7391408410106

**HU043**

- length 820 mm
- weight 1700 g
- EAN 7391408410113

**Hultafors**

**ALUMINIUM CROWBARS**

- suitable especially for removing formwork
- steelpoint
- packing size: 1

**HU044**

- length 1200 mm
- weight 2700 g
- EAN 7391408410014

**HU045**

- length 1500 mm
- weight 3600 g
- EAN 7391408410038

**Hultafors**

**ALUMINIUM CROWBARS**

- also the point is made of aluminium
- packing size: 1

**HU051**

- length 1200 mm
- weight 2100 g
- EAN 7391408410007

**HU052**

- length 1500 mm
- weight 2800 g
- EAN 7391408410021

**STEEL CROWBAR**

**HU089**

- length 1200 mm
- weight 5 kg
- packing size: 1
- EAN 7391408260039



**Hultafors**

**CROWBAR**

**X016026**

- length 1500 mm
- weight 7 kg
- packing size: /4/120
- EAN 6418914151055



**HAND SAW 550 mm****WT001**

- universal saw
  - 7 teeth/inch
  - universal toothing for a powerfull and fast sawing
  - hardened teeth for a longer sharpness
  - one-component, ergonomic handle
  - packing size: /50
- EAN 6418914528482

**HAND SAW 550 mm  
Push/pull****WT002**

- 7 teeth/inch
  - double teeth cut both in pushing and pulling
  - hardened teeth for a longer sharpness
  - one-component, ergonomic handle
  - packing size: /10
- EAN 6418914528499

**HAND SAW 550 mm****WT003**

- 7 teeth/inch
  - universal toothing for a powerfull and fast sawing
  - hardened teeth for a longer sharpness
  - one-component, ergonomic handle
  - packing size: /10
- EAN 6418914528505

**HAND SAW 550 mm****WT004**

- 7 teeth/inch
  - universal toothing for a powerfull and fast sawing
  - special hardened teeth for maximum sharpness
  - two-component, ergonomic handle
  - packing size: /10
- EAN 6418914528512

**HAND SAW 550 mm****WT005**

- fine toothing saw for for high-speed sawing
  - 11 teeth/inch
  - cross ground, hardened teeth for an optimal and extremely high sharpness
  - teflon coating
  - two-component, ergonomic handle
  - packing size: /10
- EAN 6418914528529

**HAND SAW 550 mm****WT006**

- 7 teeth/inch
  - cross ground, hardened teeth for an optimal and extremely high sharpness
  - teflon coating
  - two-component, ergonomic handle
  - packing size: /10
- EAN 6418914528536

**HAND SAW 350 mm****WT007**

- 7 teeth/inch
  - short saw that suits in tool box
  - universal toothing for a powerfull and fast sawing
  - one-component, ergonomic handle
  - packing size: /10
- EAN 6418914528543

**BACK SAW 350 mm****WT008**

- for precise sawing
  - 12 teeth/inch
  - special hardened teeth for maximum sharpness
  - hardened double teeth cut both in pushing and pulling
  - stable back
  - two-component, ergonomic handle
  - packing size: /10
- EAN 6418914528550

**SAWS**



**WOODTEC**

**COMPASS SAW 300 mm**

**WT009**

- universal tothing for a powerfull and fast sawing
  - 10 teeth/inch
  - special hardened teeth for a longer sharpness
  - two-component, ergonomic handle
  - packing size: /10
- EAN 6418914528567



**CONCRETE SAW 700 mm**

**WT010**

- 34 teeth
  - every tooth with hard metal bit
  - wooden handle
  - packing size: /4
- EAN 6418914528574



**CONCRETE SAW 700 mm**

**WT011**

- 17 teeth
  - every other tooth with hard metal bit
  - wooden handle
  - packing size: /10
- EAN 6418914528581



**BOW SAWS**

- strong frame and hand guard



**530 mm**

**WT012**

- packing size: /12
- EAN 6418914528598



**600 mm**

**WT013**

- packing size: /12
- EAN 6418914528604



**760 mm**

**WT014**

- packing size: /12
- EAN 6418914528611



**915 mm**

**WT015**

- packing size : /12
- EAN 6418914528628



**BOW SAW BLADES**

- hardened teeth

Order no.	Length	Packing size	EAN
WT016	300 mm	/180	6418914528635
WT017	530 mm	/180	6418914528642
WT018	600 mm	/180	6418914528659
WT019	760 mm	/240	6418914528666
WT020	915 mm	/240	6418914528673



**HAND SAW 265 mm  
Rapid pull**

**Tajima**

**TAJ042**

- length of blade 265 mm, 16 teeth / inch
- very sharp impulse hardened teeth
- cuts when pulled
- cuts three times faster compared to saw that cuts when pushed
- removable blade
- packing size: 12/72
- EAN 4975364060143




**GYPHUM  
BOARD SAW**

**„PARIERE“**

**MR110**

- setted blades, hardened
- length of blades 150 mm
- packing size: 1/6
- EAN 4007535466352



**MITRE BOX 12" +  
BACK SAW 14"**

**IKH**  
Hobby

**IKH7069**

- sawing angles 90°, 45° and 22,5°
- max. angle sawing length 130 mm
- max. thickness of sawable wood piece 90 mm
- packing size: 1/12
- EAN 6418914706071

**GUARANTEE**  
1  
Year




**COPING SAW 6"  
+ 5 BLADES**

**IKH**  
Hobby

**IKH7070**

- blades: 2 pcs for wood, 1 pc for thick metal, 1 pc for thin metal and plastic, 1 iron saw blade for all metals
- packing size: 1/12/36
- EAN 6418914706088

**GUARANTEE**  
1  
Year



**IKH**  
Specialist

**GUARANTEE**  
3  
Years

**MITRE SAW**

**X004023**

- aluminium body
- length of blade 550 mm
- height of blade 45 mm
- cutting height max. 120 mm
- adjustment of sawing angle 22,5°-90°
- packing size: 1/56
- EAN 6418914149106

**SPARE BLADES**

**X004002A**

- for wood
- packing size: 1/100
- EAN 6418914149069



**HACK SAW 300 mm High Prof**

**UL66D**


- blade angles 45° and 90°
- metal frame
- ergonomic, comfortable handle
- packing size: 1
- EAN 3321670033653



**HACK SAW 300 mm**

**IKH53**

- casted handle, cushioned handles on both ends
- bow made of steamline tubing
- box for spare blades inside the tubing
- suits for "hole" sawing
- blade adjust to 45° angle
- suits 305 mm blade
- packing size: 1/36
- EAN 6418914694736



**HACK SAW 300 mm**

**X005028**

- casted handle
- bow made of steamline tubing
- box for spare blades inside the tubing
- suits for "hole" sawing
- blade adjust to 45° angle
- suits 305 mm blade
- packing size: /6/36
- EAN 6418914149267



**COMBINATION SAW 300 mm**

**XTB141013**

- includes 3 blades:
  - 1) for sawing wet wood
  - 2) for sawing dry wood
  - 3) for sawing metal, plastic, iron etc.
- packing size: 1/12/24
- EAN 6418914608344



**HACK SAW 150 mm Junior**

**UL62**

- length 250 mm, height 60 mm
- length of blade 150 mm
- packing size: 1/10
- EAN 3321670000303



**HACK SAW BLADES 10 pcs**

**UL6010**

- packing size: 1
- EAN 3321670000327



**MINI SAW 155 mm**

**MR116**


- lacquered wood shaft
- cuts metal, plastic and wood
- packing size: 1
- EAN 4010124305000



**SPARE BLADES 12 pcs**

**MR117**


- packing size: 1
- EAN 4010124310127



**HACK SAW (MINI)**

**XTB422**

- Blister-package
- with plastic handle
- fit for 305 mm blade
- packing size: 1/12/72
- EAN 6418914603745



**SPOKESHAVE,  
for curved surfaces**

**AM022**

- width 250 mm, cutter width 54 mm
- handy shaping tool for curved surfaces
- the body is casted from malleable iron
- tungsten vanadium cutter with lateral and vertical adjustment

- secured by a lever cap and two retaining screws to eliminate chatter
- packing size: 1/6  
EAN 0734442056164

**SPARE BLADE**

**AM022A**

**BENCH PLANES**

- cutting iron made of exclusive tungsten vanadium steel
- the robust level cap is designed to lock down on three pressure points for secure location of the cutting iron
- impact resistant ABS resin handle and knob
- traditional brass adjusting nut
- the cutting iron face is precision machined
- CNC-machined frog seating
- cast fine grained grey iron body
- CNC-machining insures precision fitting and finish of the timber



**AM020**

- mainly for final finishing and general-purpose work
- length 245 mm
- cutter width 50 mm
- packing size: 1/4  
EAN 0734442165729

**SPARE BLADE**

**AM020A**

**AM021**

- mainly for preliminary squaring of rough lumber
- length 355 mm
- cutter width 50 mm
- packing size: 1/4  
EAN 0734442165910

**SPARE BLADE**

**AM020A**



**HAND PLANE**

**HIT146**

- width of cutter 50 mm
- length 245 mm
- wooden handles
- packing size: 1/9  
EAN 8412783670516



**SPARE BLADE**

**HIT145**

- packing size: 1  
EAN 8412783642391



**WOOD CHISEL SET 4 pcs**

**XK6013**

- sizes: 6 mm, 12 mm, 19 mm and 25 mm
- packing size: 1/30
- EAN 6418914528826



**WOOD CHISEL SET 4 pcs**

**X004056**

- sizes: 6,5 mm, 13 mm, 19 mm and 25 mm
- length 175 mm
- made of high-quality steel
- impact-resistant plastic handles
- packing size: 1/36
- EAN 6418914607910



**WOOD CARVING TOOL SET 5 pcs**

**TPG57000**

- with wooden handle
- packing size: 1/2
- EAN 8011017570006



**TURNING CHISEL SET 8 pcs**

**TK1205**

- with wooden handle
- length 360 mm
- packing size: 1/10/200
- EAN 6418914124295



**Short TURNING CHISEL SET 8 pcs**

**XW038**

- with wooden handle
- includes chisels:
  - churning chisels 2 pcs
  - cutting chisels 4 pcs
  - curved chisel
  - scraping chisel
- wooden storage box
- packing size: 1/5
- EAN 6418914530706



**Long TURNING CHISEL SET 6 pcs**

**XW037**

- with wooden handle
- includes chisels:
  - crushing chisel
  - cutting chisels 2 pcs
  - curved chisels 2 pcs
  - scraping chisel
- wooden storage box
- packing size: 1/5
- EAN 6418914530690